

**COMMUNICATIONS  
ALLIANCE LTD**



INDUSTRY GUIDELINE

MOBILE NUMBER PORTABILITY-  
IT SPECIFICATION

PART 1: TRANSACTION ANALYSIS

APPENDIX E - XML MESSAGING FORMATS

G573.1:2009 APPENDIX E

**G573.1:2009 Mobile Number Portability IT Specification —  
Part 1: Transaction Analysis —  
Appendix E - XML Messaging Formats**

First published as ACIF G573.1:2001  
Second edition as ACIF G573.1:2003  
Third edition as ACIF G573.1:2004 Sept  
Fourth edition as ACIF G573.1:2004 Dec

**Communications Alliance Ltd (formerly Australian Communications Industry Forum Ltd) was formed in 2006 to provide a unified voice for the Australian communications industry and to lead it into the next generation of converging networks, technologies and services.**

**Disclaimers**

- 1) Notwithstanding anything contained in this Industry Guideline:
  - a) Communications Alliance disclaims responsibility (including where Communications Alliance or any of its officers, employees, agents or contractors has been negligent) for any direct or indirect loss, damage, claim, or liability any person may incur as a result of any:
    - i) reliance on or compliance with this Industry Guideline;
    - ii) inaccuracy or inappropriateness of this Industry Guideline; or
    - iii) inconsistency of this Industry Guideline with any law; and
  - b) Communications Alliance disclaims responsibility (including where Communications Alliance or any of its officers, employees, agents or contractors has been negligent) for ensuring compliance by any person with this Industry Guideline.
- 2) The above disclaimers will not apply to the extent they are inconsistent with any relevant legislation.

**Copyright**

© Communications Alliance Ltd 2009

This document is copyright and must not be used except as permitted below or under the *Copyright Act 1968*. You may reproduce and publish this document in whole or in part for your or your organisation's own personal or internal compliance, educational or non-commercial purposes. You must not alter or amend this document in any way. You must not reproduce or publish this document for commercial gain without the prior written consent of Communications Alliance. Organisations wishing to reproduce or publish this document for commercial gain (i.e. for distribution to subscribers to an information service) may apply to subscribe to the Communications Alliance Publications Subscription Service by contacting the Communications Alliance Commercial Manager at [info@commsalliance.com.au](mailto:info@commsalliance.com.au). If you publish any part of this document for any purpose, you must also publish this copyright notice as part of that publication.

## TABLE OF CONTENTS

---

|          |  |          |
|----------|--|----------|
| <b>1</b> | <b>INTRODUCTION</b>                      | <b>2</b> |
|          | 1.1 Purpose                              | 2        |
| <b>2</b> | <b>GIVENS</b>                            | <b>3</b> |
| <b>3</b> | <b>XML MESSAGING TRANSACTION FORMATS</b> | <b>4</b> |
|          | 3.1 Message DTD                          | 4        |
| <b>4</b> | <b>XML MESSAGES</b>                      | <b>5</b> |
|          | 4.1 Port Notification                    | 5        |
|          | 4.2 Port Cutover Notification Rejection  | 50       |
|          | 4.3 Giveback                             | 83       |
|          | 4.4 Giveback Rejection                   | 93       |
|          | 4.5 Port Expiry                          | 99       |
|          | 4.6 Port Withdrawl                       | 106      |
|          | 4.7 Port Withdrawl Rejection             | 139      |
|          | 4.8 Broadcast Technology Transfer        | 172      |

# 1 INTRODUCTION

This document is an Appendix to *Mobile Number Portability IT Specification - Part 1: Transaction Analysis* Industry Guideline (G573.1:2009).

## 1.1 Purpose

The purpose of this document is to identify and define and agree the XML format for the MNP intercarrier messaging.

## 2 GIVENS

1. Rejection type examples contained herein define rejection at the CSP level. It should be noted that should the rejection occur at the MC level the rejecting party would be the MC and not the CSP. Hence "RejectingCSP" TAG would be replaced with "RejectingMC" TAG.
2. A generic "RequestID" of 212121212121212121212121212121212 has been defined in all messages.
3. The AccountReferenceNumber TAG has been used in all messages as the CustomerReference value. It is to be noted that an alternative (i.e. mutually exclusive) TAG of CustomerDOB may be used in any message type.
4. An example of messages for a Port Reversal has been omitted for the purposes of simplicity. It is noted that a Port Reversal is identical to a Port In / Port Out (ref Section 3.1) in every respect except for the fact that the AccountReferenceNumber or CustomerDOB TAG in the CustomerReference header is replaced with a PreviousRequestID TAG.

### 3 XML MESSAGING TRANSACTION FORMATS

This section defines document type descriptions (DTD) of MNP messages.

The following DTD listing is the physical definition of all the logical data flows between all relevant players.

#### 3.1 Message DTD

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Port Message DTD-->
<!ELEMENT PortMessage (MessageHeader, TransactionHeader?,
CustomerIdentity?, InvolvedParties?, AuditTrail+)>
<!ELEMENT MessageHeader EMPTY>
<!ATTLIST MessageHeader
    MessageType CDATA #REQUIRED
    RequestID CDATA #REQUIRED
    SendingParty CDATA #REQUIRED
    DestinationParty CDATA #REQUIRED
    TimeStamp CDATA #REQUIRED
>
<!ELEMENT TransactionHeader (RejectReasonCode?, WarningCode?,
TargetTechnology?, GiveBackReasonCode?, CancellationDate?)>
<!ELEMENT RejectReasonCode (#PCDATA)>
<!ELEMENT WarningCode (#PCDATA)>
<!ELEMENT TargetTechnology (#PCDATA)>
<!ELEMENT GiveBackReasonCode (#PCDATA)>
<!ELEMENT CancellationDate (#PCDATA)>
<!ELEMENT CustomerIdentity (MSN, CAAuthorisationDate?,
CustomerReference?)>
<!ELEMENT MSN (#PCDATA)>
<!ELEMENT CAAuthorisationDate (#PCDATA)>
<!ELEMENT CustomerReference (AccountReferenceNumber | CustomerDOB
| PreviousRequestID)>
<!ELEMENT AccountReferenceNumber (#PCDATA)>
<!ELEMENT CustomerDOB (#PCDATA)>
<!ELEMENT PreviousRequestID (#PCDATA)>
<!ELEMENT InvolvedParties (GainingCSP?, GainingMC?, LosingMC?,
LosingCSP?, RecipientCSP?, RecipientMC?, DonorMC?,
NetworkProvider?, RejectingMC?, RejectingCSP?)>
<!ELEMENT GainingCSP (#PCDATA)>
<!ELEMENT GainingMC (#PCDATA)>
<!ELEMENT LosingMC (#PCDATA)>
<!ELEMENT LosingCSP (#PCDATA)>
<!ELEMENT RecipientMC (#PCDATA)>
<!ELEMENT RecipientCSP (#PCDATA)>
<!ELEMENT DonorMC (#PCDATA)>
<!ELEMENT NetworkProvider (#PCDATA)>
<!ELEMENT RejectingMC (#PCDATA)>
<!ELEMENT RejectingCSP (#PCDATA)>
<!ELEMENT AuditTrail (ATParty, ATMessageType, ATTimeStamp)>
<!ELEMENT ATParty (#PCDATA)>
<!ELEMENT ATMessageType (#PCDATA)>
<!ELEMENT ATTimeStamp (#PCDATA)>
```

## 4 XML MESSAGES

### 4.1 Port Notification

#### 4.1.1 Port Notification GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="21212121212121212121212121212121" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.2 Port Notification Receipt GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.1.3 Port Notification GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.4 Port Notification Receipt LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="21212121212121212121212121212121" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.5 Port Notification LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.6 Port Notification Receipt LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="2121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

  <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.7 Port Notification Confirmation LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCN"
RequestID="21212121212121212121212121212121" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.8 Port Notification Confirmation Receipt LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCONREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.9 Port Notification Confirmation LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCON"
  RequestID="21212121212121212121212121212121212" SendingParty="0003"
  DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```





#### 4.1.11 Port Notification Confirmation GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCON"
RequestID="21212121212121212121212121212121" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.12 Port Notification Confirmation Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PNCONREC</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.1.13 Port Cutover Notification GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCN"
RequestID="21212121212121212121212121212121" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.14 Port Cutover Notification Receipt GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCNREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.15 Port Cutover Notification GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCN"
RequestID="2121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.16 Port Cutover Notification Receipt LMCto GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PCNREC</ATMessageType>
```

```
<ATTimeStamp>20010101090534830</ATTimeStamp>  
  </AuditTrail>  
</PortMessage>
```

#### 4.1.17 Port Cutover Notification Confirmation LMCto GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNCON"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PCNCON</ATMessageType>
```



```
<ATTimeStamp>20010101090534830</ATTimeStamp>  
</AuditTrail>  
</PortMessage>
```

#### 4.1.18 Port Cutover Notification Confirmation Receipt GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>  
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">  
<PortMessage>  
  <MessageHeader MessageType="PCNCONREC"  
RequestID="21212121212121212121212121212121212" SendingParty="0002"  
DestinationParty="0003" TimeStamp="20010101090534830"/>  
  <CustomerIdentity>  
    <MSN>0414252900</MSN>  
    <CAAuthorisationDate>20010320</CAAuthorisationDate>  
    <CustomerReference>  
  
  <AccountReferenceNumber>9876543210</AccountReferenceNumber>  
    </CustomerReference>  
</CustomerIdentity>  
<InvolvedParties>  
  <GainingCSP>0001</GainingCSP>  
  <GainingMC>0002</GainingMC>  
  <LosingMC>0003</LosingMC>  
  <LosingCSP>0004</LosingCSP>  
</InvolvedParties>  
<AuditTrail>  
  <ATParty>0001</ATParty>  
  <ATMessageType>PN</ATMessageType>  
  <ATTimeStamp>20010101090530100</ATTimeStamp>  
</AuditTrail>  
<AuditTrail>  
  <ATParty>0002</ATParty>  
  <ATMessageType>PN</ATMessageType>  
  <ATTimeStamp>20010101090530100</ATTimeStamp>  
</AuditTrail>  
<AuditTrail>  
  <ATParty>0003</ATParty>  
  <ATMessageType>PN</ATMessageType>  
  <ATTimeStamp>20010101090530100</ATTimeStamp>  
</AuditTrail>  
<AuditTrail>  
  <ATParty>0004</ATParty>  
  <ATMessageType>PNCON</ATMessageType>  
  <ATTimeStamp>20010101090530100</ATTimeStamp>  
</AuditTrail>  
<AuditTrail>  
  <ATParty>0003</ATParty>  
  <ATMessageType>PNCON</ATMessageType>  
  <ATTimeStamp>20010101090530100</ATTimeStamp>  
</AuditTrail>  
<AuditTrail>  
  <ATParty>0002</ATParty>  
  <ATMessageType>PNCON</ATMessageType>  
  <ATTimeStamp>20010101090530100</ATTimeStamp>  
</AuditTrail>  
<AuditTrail>  
  <ATParty>0001</ATParty>  
  <ATMessageType>PCN</ATMessageType>  
  <ATTimeStamp>20010101090530100</ATTimeStamp>  
</AuditTrail>  
<AuditTrail>  
  <ATParty>0002</ATParty>  
  <ATMessageType>PCN</ATMessageType>  
  <ATTimeStamp>20010101090530100</ATTimeStamp>  
</AuditTrail>  
<AuditTrail>  
  <ATParty>0003</ATParty>  
  <ATMessageType>PCNCON</ATMessageType>
```

```
        <ATTimeStamp>20010101090530100</ATTimeStamp>
    </AuditTrail>
</AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCNCONREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.1.19 Port Cutover Notification Confirmation GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNCON"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PCNCON</ATMessageType>
```

```
        <ATTimeStamP>20010101090530100</ATTimeStamP>
    </AuditTrail>
    <AuditTrail>
        <ATParty>0002</ATParty>
        <ATMessageTypE>PCNCON</ATMessageTypE>
        <ATTimeStamP>20010101090534830</ATTimeStamP>
    </AuditTrail>
</PortMessage>
```

#### 4.1.20 Port Cutover Notification Confirmation Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PCNCON</ATMessageType>
```

```
        <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCNCONREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

4.1.21 Broadcast Port Cutover Notification GMC to all involved parties

```
<?xml version="1.0" encoding="UTF-8"?>  
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">  
<PortMessage>  
  <MessageHeader MessageType="BPCN"  
RequestID="2121212121212121212121212121212" SendingParty="0002"  
DestinationParty="0003" TimeStamp="20010101090534830"/>  
  <TransactionHeader>  
    <TargetTechnology>001</TargetTechnology>  
  </TransactionHeader>  
  <CustomerIdentity>  
    <MSN>0414252900</MSN>  
  </CustomerIdentity>  
  <InvolvedParties>  
    <GainingMC>0002</GainingMC>  
  </InvolvedParties>  
  <AuditTrail>  
    <ATParty>0002</ATParty>  
    <ATMessageType>BPCN</ATMessageType>  
    <ATTimeStamp>20010101090534830</ATTimeStamp>  
  </AuditTrail>  
</PortMessage>
```



#### 4.1.22 Broadcast Port Cutover Notification Receipt

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BPCNREC"
RequestID="2121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingMC>0002</GainingMC>
    <NetworkProvider>0003</NetworkProvider>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BPCN</ATMessageType>
    <ATTimeStamp>20010101090231475</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>BPCNREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.23 Port Cutover Completion GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCCOM"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCCOM</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.24 Port Cutover Completion Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCCOMREC"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCCOM</ATMessageType>
    <ATTimeStamp>20010101090231475</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCCOMREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.25 Broadcast Port Cutover Completion (LMC to GMC)

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BPCCOM"
  RequestID="212121212121212121212121212" SendingParty="0003"
  DestinationParty="0002" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingMC>0002</GainingMC>
    <NetworkProvider>0003</NetworkProvider>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BPCN</ATMessageType>
    <ATTimeStamp>20010101090231475</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>BPCCOM</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.26 Broadcast Port Cutover Completion Receipt (LMC to GMC)

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BPCCOMREC"
RequestID="212121212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingMC>0002</GainingMC>
    <NetworkProvider>0003</NetworkProvider>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BPCN</ATMessageType>
    <ATTimeStamp>20010101090231475</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>BPCCOM</ATMessageType>
    <ATTimeStamp>20010101090231475</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BPCCOMREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.27 Port Cutover Completion LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCCOM"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

  <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PCCOM</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



Port Notification Rejection  
4.1.29 Port Notification GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.1.30 Port Notification Receipt GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.31 Port Notification GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.32 Port Notification Receipt LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.33 Port Notification LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.1.34 Port Notification Receipt LCSP to LMC

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>

```

#### 4.1.35 Port Notification Rejection LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREJ"
RequestID="21212121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  </TransactionHeader>
  <RejectReasonCode>035</RejectReasonCode>
</TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
  <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  <RejectingCSP>0004</RejectingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNREJ</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.1.36 Port Notification Rejection Receipt LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>  
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">  
<PortMessage>  
  <MessageHeader MessageType="PNREJREC"  
RequestID="2121212121212121212" SendingParty="0003"  
DestinationParty="0004" TimeStamp="20010101090530100"/>  
  </TransactionHeader>  
  <RejectReasonCode>035</RejectReasonCode>  
  </TransactionHeader>  
  <CustomerIdentity>  
    <MSN>0414252900</MSN>  
    <CAAuthorisationDate>20010320</CAAuthorisationDate>  
    <CustomerReference>  
  
    <AccountReferenceNumber>9876543210</AccountReferenceNumber>  
    </CustomerReference>  
  </CustomerIdentity>  
  <InvolvedParties>  
    <GainingCSP>0001</GainingCSP>  
    <GainingMC>0002</GainingMC>  
    <LosingMC>0003</LosingMC>  
    <LosingCSP>0004</LosingCSP>  
    <RejectingCSP>0004</RejectingCSP>  
  </InvolvedParties>  
  <AuditTrail>  
    <ATParty>0001</ATParty>  
    <ATMessageType>PN</ATMessageType>  
    <ATTimeStamp>20010101090530100</ATTimeStamp>  
  </AuditTrail>  
  <AuditTrail>  
    <ATParty>0002</ATParty>  
    <ATMessageType>PN</ATMessageType>  
    <ATTimeStamp>20010101090530100</ATTimeStamp>  
  </AuditTrail>  
  <AuditTrail>  
    <ATParty>0003</ATParty>  
    <ATMessageType>PN</ATMessageType>  
    <ATTimeStamp>20010101090530100</ATTimeStamp>  
  </AuditTrail>  
  <AuditTrail>  
    <ATParty>0004</ATParty>  
    <ATMessageType>PNREJ</ATMessageType>  
    <ATTimeStamp>20010101090530100</ATTimeStamp>  
  </AuditTrail>  
  <AuditTrail>  
    <ATParty>0003</ATParty>  
    <ATMessageType>PNREJREC</ATMessageType>  
    <ATTimeStamp>20010101090530100</ATTimeStamp>  
  </AuditTrail>  
</PortMessage>
```

#### 4.1.37 Port Notification Rejection LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREJ"
RequestID="212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  </TransactionHeader>
  <RejectReasonCode>035</RejectReasonCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
    <RejectingCSP>0004</RejectingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNREJ</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNREJ</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.1.38 Port Notification Rejection Receipt GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREJREC"
  RequestID="21212121212121212121212121212121212" SendingParty="0002"
  DestinationParty="0003" TimeStamp="20010101090530100"/>
  </TransactionHeader>
  <RejectReasonCode>035</RejectReasonCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

  <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
    <RejectingCSP>0004</RejectingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNREJ</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNREJ</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNREJREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.1.40 Port Notification Rejection Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREJREC"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  </TransactionHeader>
  <RejectReasonCode>035</RejectReasonCode>
</TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
    <RejectingCSP>0004</RejectingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNREJ</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNREJ</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNREJ</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
  <AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PNREJREC</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

## 4.2 Port Cutover Notification Rejection

### 4.2.1 Port Notification GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="21212121212121212121212121212121" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.2 Port Notification Receipt GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.3 Port Notification GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="2121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.4 Port Notification Receipt LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.5 Port Notification LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="2121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.2.6 Port Notification Receipt LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
      <GainingMC>0002</GainingMC>
        <LosingMC>0003</LosingMC>
          <LosingCSP>0004</LosingCSP>
    </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.7 Port Notification Confirmation LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCON"
RequestID="2121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.8 Port Notification Confirmation Receipt LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCONREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.9 Port Notification Confirmation LMC to GMC

```

xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCON"
RequestID="212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>

```

#### 4.2.10 Port Notification Confirmation Receipt GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCONREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.11 Port Notification Confirmation GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCON"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.12 Port Notification Confirmation Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

  <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PNCONREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.13 Port Cutover Notification GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCN"
RequestID="21212121212121212121212121212121" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.2.14 Port Cutover Notification Receipt GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCNREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.15 Port Cutover Notification GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCN"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.2.16 Port Cutover Notification Receipt LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PCNREC</ATMessageType>
```

```
<ATTimeStamp>20010101090534830</ATTimeStamp>  
  </AuditTrail>  
</PortMessage>
```

#### 4.2.17 Port Cutover Notification with Warning Code LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCN"
RequestID="212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <WarningCode>WC1</WarningCode>
  </TransactionHeader>
<CustomerIdentity>
  <MSN>0414252900</MSN>
  <CAAuthorisationDate>20010320</CAAuthorisationDate>
  <CustomerReference>
    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
```

```
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.2.18 Port Cutover Notification Receipt LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <WarningCode>WC1</WarningCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
```

```
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PCNREC</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



#### 4.2.19 Port Cutover Notification Rejection LCSP to LMC

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREJ"
  RequestID="212121212121212121212121212" SendingParty="0004"
  DestinationParty="0003" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <RejectReasonCode>035</RejectReasonCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
  <RejectingCSP>0004</RejectingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>

```

```
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.2.20 Port Cutover Notification Rejection Receipt LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREJREC"
RequestID="212121212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <RejectReasonCode>035</RejectReasonCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
  <RejectingCSP>0004</RejectingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
```

```
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCNREJREC</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.2.21 Port Cutover Notification Rejection LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREJ"
RequestID="21212121212121212121212121212121" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <RejectReasonCode>035</RejectReasonCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
    <RejectingCSP>0004</RejectingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

```
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.2.22 Port Cutover Notification Rejection Receipt GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREJREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <RejectReasonCode>035</RejectReasonCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
  <RejectingCSP>0004</RejectingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
```

```
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCNREJREC</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



#### 4.2.23 Port Cutover Notification Rejection GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREJ"
RequestID="212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <RejectReasonCode>035</RejectReasonCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
    <RejectingCSP>0004</RejectingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

```
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.2.24 Port Cutover Notification Rejection Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PCNREJREC"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <RejectReasonCode>035</RejectReasonCode>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
  <RejectingCSP>0004</RejectingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
```

```
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCN</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PCNREJ</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PCNREJREC</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

## 4.3 Giveback

### 4.3.1 Give Back Notification RCSP to RMC

```
<?xml version="1.0" encoding="UTF-8"?>  
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">  
<PortMessage>  
  <MessageHeader MessageType="GBN"  
RequestID="212121212121212121212121212121212" SendingParty="0001"  
DestinationParty="0002" TimeStamp="20010101090530100"/>  
  <TransactionHeader>  
    <GiveBackReasonCode>001</GiveBackReasonCode>  
    <CancellationDate>20010101</CancellationDate>  
  </TransactionHeader>  
  <CustomerIdentity>  
    <MSN>0414252900</MSN>  
  </CustomerIdentity>  
  <InvolvedParties>  
    <RecipientCSP>0001</RecipientCSP>  
  </InvolvedParties>  
  <AuditTrail>  
    <ATParty>0001</ATParty>  
    <ATMessageType>GBN</ATMessageType>  
    <ATTimeStamp>20010101090530100</ATTimeStamp>  
  </AuditTrail>  
</PortMessage>
```

#### 4.3.2 Give Back Notification Receipt RMC to RCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="GBNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090530100"/>
  <TransactionHeader>
    <GiveBackReasonCode>001</GiveBackReasonCode>
    <CancellationDate>20010101</CancellationDate>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <RecipientCSP>0001</RecipientCSP>
    <RecipientMC>0002</RecipientMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>GBNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.3.3 Give Back Notification RMC to DMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="GBN"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <TransactionHeader>
    <GiveBackReasonCode>001</GiveBackReasonCode>
    <CancellationDate>20010101</CancellationDate>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <RecipientCSP>0001</RecipientCSP>
    <RecipientMC>0002</RecipientMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.3.4 Give Back Notification Receipt DMC to RMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="GBNREC"
RequestID="2121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <TransactionHeader>
    <GiveBackReasonCode>001</GiveBackReasonCode>
    <CancellationDate>20010101</CancellationDate>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <RecipientCSP>0001</RecipientCSP>
    <RecipientMC>0002</RecipientMC>
    <DonorMC>0003</DonorMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>GBNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```





#### 4.3.6 Give Back Notification Confirmation Receipt RMC to DMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="GBNCONREC"
RequestID="212121212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <TransactionHeader>
    <GiveBackReasonCode>001</GiveBackReasonCode>
    <CancellationDate>20010101</CancellationDate>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <RecipientCSP>0001</RecipientCSP>
    <RecipientMC>0002</RecipientMC>
    <DonorMC>0003</DonorMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>GBNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>GBNCONREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```





#### 4.3.9 Broadcast Give Back Completion (RMC to DMC)

```
<?xml version="1.0"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BGBCOM"
RequestID="21212121212121212121212121212121" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010729091324039"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <DonorMC>0003</DonorMC>
    <NetworkProvider>0002</NetworkProvider>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>BGBN</ATMessageType>
    <ATTimeStamp>20010729091324039</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BGBCOM</ATMessageType>
    <ATTimeStamp>20010729091324039</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

4.3.10 Broadcast Give Back Completion Receipt (DMC to RMC)

```
<?xml version="1.0"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BGBCOMREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010729091324039"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <DonorMC>0003</DonorMC>
    <NetworkProvider>0002</NetworkProvider>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>BGBN</ATMessageType>
    <ATTimeStamp>20010729091324039</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BGBCOM</ATMessageType>
    <ATTimeStamp>20010729091324039</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>BGBCOMREC</ATMessageType>
    <ATTimeStamp>20010729091324039</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

## 4.4 Giveback Rejection

### 4.4.1 Give Back Notification RCSP to RMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="GBN"
RequestID="2121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <TransactionHeader>
    <GiveBackReasonCode>001</GiveBackReasonCode>
    <CancellationDate>20010101</CancellationDate>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <RecipientCSP>0001</RecipientCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.4.2 Give Back Notification Receipt RMC to RCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="GBNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090530100"/>
  <TransactionHeader>
    <GiveBackReasonCode>001</GiveBackReasonCode>
    <CancellationDate>20010101</CancellationDate>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <RecipientCSP>0001</RecipientCSP>
    <RecipientMC>0002</RecipientMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>GBN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>GBNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```











## 4.5 Port Expiry

### 4.5.1 Port Expiry Notification LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<PortMessage>
  <MessageHeader MessageType="PEN"
RequestID="21212121212121212121212121212121" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0438166100</MSN>
    <CAAuthorisationDate>20010101</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PEN</ATMessageType>
    <ATTimeStamp>20010328165854817</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.5.2 Port Expiry Notification Receipt LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<PortMessage>
  <MessageHeader MessageType="PENREC"
RequestID="21212121212121212121212121212121" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0438166100</MSN>
    <CAAuthorisationDate>20010101</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PEN</ATMessageType>
    <ATTimeStamp>20010328165854817</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PENREC</ATMessageType>
    <ATTimeStamp>20010328165854817</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.5.4 Port Expiry Notification Receipt GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<PortMessage>
  <MessageHeader MessageType="PENREC"
RequestID="21212121212121212121212121212121" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0438166100</MSN>
    <CAAuthorisationDate>20010101</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PEN</ATMessageType>
    <ATTimeStamp>20010328165854817</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PENREC</ATMessageType>
    <ATTimeStamp>20010328165854817</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.5.5 Port Expiry Notification GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<PortMessage>
  <MessageHeader MessageType="PEN"
RequestID="21212121212121212121212121212121" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0438166100</MSN>
    <CAAuthorisationDate>20010101</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PEN</ATMessageType>
  <ATTimeStamp>20010328165854817</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PEN</ATMessageType>
  <ATTimeStamp>20010328165854817</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.5.6 Port Expiry Notification Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<PortMessage>
  <MessageHeader MessageType="PENREC"
RequestID="21212121212121212121212121212121" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0438166100</MSN>
    <CAAuthorisationDate>20010101</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PEN</ATMessageType>
    <ATTimeStamp>20010328165854817</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PEN</ATMessageType>
    <ATTimeStamp>20010328165854817</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PENREC</ATMessageType>
    <ATTimeStamp>20010328165854817</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

```
</AuditTrail>  
</PortMessage>
```

## 4.6 Port Withdrawal

### 4.6.1 Port Notification GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="212121212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.6.2 Port Notification Receipt GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.6.3 Port Notification GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PN"
RequestID="21212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.6.4 Port Notification Receipt LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNREC"
RequestID="2121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090530100"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```









#### 4.6.8 Port Notification Confirmation Receipt LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCONREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```





#### 4.6.11 Port Notification Confirmation LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCN"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.6.12 Port Notification Confirmation Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
<InvolvedParties>
  <GainingCSP>0001</GainingCSP>
  <GainingMC>0002</GainingMC>
  <LosingMC>0003</LosingMC>
  <LosingCSP>0004</LosingCSP>
</InvolvedParties>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PN</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0004</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0003</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0002</ATParty>
  <ATMessageType>PNCON</ATMessageType>
  <ATTimeStamp>20010101090530100</ATTimeStamp>
</AuditTrail>
<AuditTrail>
  <ATParty>0001</ATParty>
  <ATMessageType>PNCONREC</ATMessageType>
  <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```







#### 4.6.15 Port Withdrawal Notification GMC to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWN"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.6.16 Port Withdrawal Notification Receipt LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNREC</ATMessageType>
```

```
<ATTimeStamp>20010101090534830</ATTimeStamp>  
</AuditTrail>  
</PortMessage>
```

#### 4.6.17 Port Withdrawal Notification LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWN"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
```

```
<ATTimeStamp>20010101090534830</ATTimeStamp>  
  </AuditTrail>  
</PortMessage>
```

#### 4.6.18 Port Withdrawal Notification Receipt LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
```

```
        <ATTimeStamP>20010101090534830</ATTimeStamP>
    </AuditTrail>
    <AuditTrail>
        <ATParty>0004</ATParty>
        <ATMessageTypE>PWNREC</ATMessageTypE>
        <ATTimeStamP>20010101090534830</ATTimeStamP>
    </AuditTrail>
</PortMessage>
```





```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
    </AuditTrail>
</AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNCNREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWNCNREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



#### 4.6.23 Port Withdrawal Notification Confirmation GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWNCON"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
```

```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWNCN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWNCNREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

















#### 4.7.8 Port Notification Confirmation Receipt LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

    <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCONREC</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```







#### 4.7.12 Port Notification Confirmation Receipt GCSP to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PNCONREC"
RequestID="21212121212121212121212121212121212" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

  <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PNCONREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```





#### 4.7.14 Port Withdrawal Notification Receipt GMC to GCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWNREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```





```
<ATTimeStamp>20010101090534830</ATTimeStamp>  
</AuditTrail>  
</PortMessage>
```

#### 4.7.17 Port Withdrawal Notification LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWN"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
```

```
<ATTimeStamp>20010101090534830</ATTimeStamp>  
</AuditTrail>  
</PortMessage>
```

#### 4.7.18 Port Withdrawal Notification Receipt LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWNREC"
RequestID="21212121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090534830"/>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>
      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
      </CustomerReference>
    </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
```



```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
    </AuditTrail>
    <AuditTrail>
        <ATParty>0004</ATParty>
        <ATMessageType>PWNREC</ATMessageType>
        <ATTimeStamp>20010101090534830</ATTimeStamp>
    </AuditTrail>
</PortMessage>
```

#### 4.7.19 Port Withdrawal Notification Reject LCSP to LMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWNREJ"
RequestID="212121212121212121212121212121212121212" SendingParty="0004"
DestinationParty="0003" TimeStamp="20010101090534830"/>

    <TransactionHeader>
      <RejectReasonCode>041</RejectReasonCode>
    </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
    <RejectingCSP>0004</RejectingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
```

```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.7.20 Port Withdrawal Notification Reject Receipt LMC to LCSP

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWNREJREC"
RequestID="212121212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0004" TimeStamp="20010101090534830"/>

    <TransactionHeader>
      <RejectReasonCode>041</RejectReasonCode>
    </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

      <AccountReferenceNumber>9876543210</AccountReferenceNumber>
    </CustomerReference>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
    <RejectingCSP>035</RejectingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
```

```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNREJREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

#### 4.7.21 Port Withdrawal Notification Reject LMC to GMC

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="PWNREJ"
RequestID="21212121212121212121212121212121212" SendingParty="0003"
DestinationParty="0002" TimeStamp="20010101090534830"/>

    <TransactionHeader>
      <RejectReasonCode>041</RejectReasonCode>
    </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
    <CAAuthorisationDate>20010320</CAAuthorisationDate>
    <CustomerReference>

<AccountReferenceNumber>9876543210</AccountReferenceNumber>
  </CustomerReference>
</CustomerIdentity>
  <InvolvedParties>
    <GainingCSP>0001</GainingCSP>
    <GainingMC>0002</GainingMC>
    <LosingMC>0003</LosingMC>
    <LosingCSP>0004</LosingCSP>
    <RejectingCSP>0004</RejectingCSP>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PNCON</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090530100</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWN</ATMessageType>
```

```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```





```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWNREJREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```



```
        <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0004</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0003</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>PWNREJ</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
<AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>PWNREJREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
</AuditTrail>
</PortMessage>
```

## 4.8 Broadcast Technology Transfer

### 4.8.1 Broadcast Technology Transfer Notification GMC to NP

```
<?xml version="1.0"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BTTN"
RequestID="000220010802000000001" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingMC>0002</GainingMC>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BTTN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.8.2 Broadcast Technology Transfer Receipt NP to GMC

```
<?xml version="1.0"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BTNREC"
RequestID="000220010802000000001" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingMC>0002</GainingMC>
    <NetworkProvider>0001</NetworkProvider>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BTN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>BTNREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

#### 4.8.3 Broadcast Technology Transfer Completion NP to GMC

```
<?xml version="1.0"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BTTCOM"
RequestID="000220010802000000001" SendingParty="0001"
DestinationParty="0002" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingMC>0002</GainingMC>
    <NetworkProvider>0001</NetworkProvider>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BTN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>BTTCOM</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```



#### 4.8.4 Broadcast Technology Transfer Completion Receipt GMC to NP

```
<?xml version="1.0"?>
<!DOCTYPE PortMessage SYSTEM "PortMessage.dtd">
<PortMessage>
  <MessageHeader MessageType="BTTCOMREC"
RequestID="000220010802000000001" SendingParty="0002"
DestinationParty="0001" TimeStamp="20010101090534830"/>
  <TransactionHeader>
    <TargetTechnology>001</TargetTechnology>
  </TransactionHeader>
  <CustomerIdentity>
    <MSN>0414252900</MSN>
  </CustomerIdentity>
  <InvolvedParties>
    <GainingMC>0002</GainingMC>
    <NetworkProvider>0001</NetworkProvider>
  </InvolvedParties>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BTN</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0001</ATParty>
    <ATMessageType>BTTCOM</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
  <AuditTrail>
    <ATParty>0002</ATParty>
    <ATMessageType>BTTCOMREC</ATMessageType>
    <ATTimeStamp>20010101090534830</ATTimeStamp>
  </AuditTrail>
</PortMessage>
```

Communications Alliance was formed in 2006 to provide a unified voice for the Australian communications industry and to lead it into the next generation of converging networks, technologies and services.

In pursuing its goals, Communications Alliance offers a forum for the industry to make coherent and constructive contributions to policy development and debate.

Communications Alliance seeks to facilitate open, effective and ethical competition between service providers while ensuring efficient, safe operation of networks, the provision of innovative services and the enhancement of consumer outcomes.

It is committed to the achievement of the policy objective of the *Telecommunications Act 1997* - the greatest practicable use of industry self-regulation without imposing undue financial and administrative burdens on industry.



Published by:  
**COMMUNICATIONS  
ALLIANCE LTD**

Level 9  
32 Walker Street  
North Sydney  
NSW 2060 Australia

Correspondence  
PO Box 444  
Milsons Point  
NSW 1565

T 61 2 9959 9111  
F 61 2 9954 6136  
TTY 61 2 9923 1911  
E [info@commsalliance.com.au](mailto:info@commsalliance.com.au)  
[www.commsalliance.com.au](http://www.commsalliance.com.au)  
ABN 56 078 026 507

Care should be taken to ensure the material used is from the current version of the Standard or Industry Code and that it is updated whenever the Standard or Code is amended or revised. The number and date of the Standard or Code should therefore be clearly identified. If in doubt please contact Communications Alliance